

E Series E560

4K 5GHz WiFi 6 PTZ Security Camera with Auto Tracking



4K

4K UHD

Provides incredible clarity to see the tiniest details.



Dual-Band WiFi 6

Enables a faster and more stable network with less latency.



Pan & Tilt

Pans 355° and tilts 50° to cover a wider range of key areas.



Auto Tracking

Follows the target automatically to keep up with the action.



3X Optical Zoom

Zoom in on images to make out faces or license plates.



Color Night Vision

Get bright and vivid images in full color even at night.



Smart Detection

Detects people, vehicles, or pets to reduce false alarms.



Double Warning

Spotlights and the siren will be activated to warn intruders.



Two-Way Audio

Real-time communication with built-in mic & speaker.



Next-Gen WiFi 6

The latest WiFi 6 technology enables a faster and more stable network connection for smoother live view and playback.




Reveal More, Secure More

See every detail in 4K video with the power to zoom 3X optically on every image to make out faces, or even license plates.



Pan-Tilt & Auto Tracking

Pans 355° and tilts 50° for wider coverage while automatically tracks people, vehicles, or pets and follow them wherever they go.



Multiple Deterrents Against Crimes

Spotlights and the siren can be triggered to deter intruders. Or you can scare them off with two-way audio.



Flexible Storage Options

Save your recordings to a microSD card of up to 256 GB or a Reolink NVR for secure local storage.

Model	E Series E560	
Video & Audio	Image Sensor	1/2.8" CMOS Sensor
	Video Resolution	3840X2160 (8.0 Megapixels)@20fps
	Lens	f=2.8-8mm Max: F1.6
	Video Format	H.265
	Field of View	Horizontal: 94° ~ 50° Vertical: 53° ~ 30°
	Day & Night	IR-Cut filter with auto-switching
	Infrared Night Vision	Up to 12 meters (40ft); LED: 12pcs/1.6W/850nm
	Color Night Vision	4pcs/2.7W/6500K/180Lumens
	Audio	Two-way audio
Power	DC Power	DC 12.0V=1A, <12W
Interface	Power	DC power port
	System	Reset button
	Ethernet	One 10M/100Mbps RJ45
	Storage	microSD card slot (Max. 256GB)
	Audio	Built-in Microphone and Speaker
Pan &Tilt	Pan &Tilt Range	Pan: 355°, Tilt: 0°~50°
	Auto Tracking	Support
Wi-Fi	Wireless Standard	IEEE 802.11a/ac/ax/ b/g/n
	Operating Frequency	2.4 GHz/5 GHz
	Wireless Security	WPA/WPA2/WPA3
Software Features	Frame Rate	Main stream: 2fps - 25fps(default: 20fps) Sub stream: 4fps - 15fps(default: 10fps)
	Code Rate	Main stream: 4096Kbps -8192Kbps(default: 5120Kbps) Sub stream: 64Kbps - 512Kbps(default: 256Kbps)
	Browser Supported	Edge, Chrome, Firefox, Safari
	OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
	Smart Alarm	Motion detection/person detection/vehicle detection/pet detection
	Record Mode	Motion recording (default)/schedule recording
	Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS,FTP, P2P
	MaximumUser Access	Support up to 12 simultaneous video streams (10 substreams & 2 mainstreams) 20 Users (1 admin account & 19 user accounts);
	Smart Home	Google Assistant
Working Environment	Temperature	Operating temperature: -10°C~+50°C (14°F~122°F)
	Humidity	Operating humidity: 10% ~ 90%
	Waterproof	IP64
Size & Weight	Dimension	Ø85x118mm
	Weight	415g
Warranty	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/



- | | | |
|-------------------|----------------|--------|
| 1 Daylight Sensor | 2 4 Spotlights | 3 Lens |
| 4 12 IR LEDs | 5 Status LED | |



- | | | |
|---------------------|-----------|-----------|
| 1 microSD Card Slot | 2 Power | 3 Network |
| 4 Power Cable | 5 Speaker | |