

P330M

4K Smart Dual-Lens PoE Camera with Dual-View Technology



4K

4K Ultra HD Resolution

Enjoy stunningly clear images with 8MP ultra-high definition video quality.



Built-in Siren and Spotlight

Automatically deter intruders with the integrated siren and motion-activated spotlight.



Two-Way Audio

Communicate directly through the built-in microphone and speaker for real-time interaction.



Flexible Storage Solutions

Save recordings on microSD cards, NVRs, or FTP servers for versatile storage options.



IP66 Weatherproof Design

Protect your property with a rugged build that withstands all weather conditions.



Real-Time Motion Alerts

Get instant notifications when suspicious activities are detected around your property.



Customizable Motion Zones

Define specific areas for motion detection to focus on what's most important.



Time-Lapse Video Creation

Capture long-term changes in condensed videos, perfect for observing nature or construction progress.



Voice Assistant Compatibility

Easily integrate with Google Assistant for hands-free control and viewing.




Your 24/7 Intelligent Guardian

Introducing a groundbreaking 4K dual-lens camera that offers unparalleled day & night visibility, smart detection for accurate alerts, and effortless PoE installation, all wrapped in an IP66-rated durable design.



Dual-Lens: See More, Miss Less

With a panoramic wide-angle lens and a telephoto lens, capture wide-angle views and detailed close-ups at the same time on one screen for comprehensive coverage.




Smarter Alerts, Fewer False Alarms

Utilize advanced AI to accurately detect people, vehicles, and pets, reducing unnecessary alerts while ensuring you're informed of what truly matters.



Clear Vision in Any Light

Choose from Black & White, Color Night Mode, or Smart Night Mode for clear visibility in darkness, enhancing security without missing a beat.



Plug & Play

Simplify setup with Power over Ethernet (PoE) technology and enjoy intuitive control via the Reolink App, allowing for quick deployment and remote management.

Gallery



One App/Client for All Control

Stay connected to your home or business anytime, anywhere.



Privacy in Your Hands

We've prioritized your privacy, ensuring your data stays exclusively yours.



Model	P330M	
Video & Audio	Image Sensor	1/2.7" CMOS sensor
	Video Resolution	Up to 3840 x 2160 (8.0 megapixels) at 20 fps
	Lens	f=2.8 mm@F=1.6, f=8 mm@F=1.6
	Video Format	H.265
	Field of View	Horizontal: 109° - 43° Vertical: 58° - 25°
	Day & Night	IR-cut filter with auto-switching
	Infrared Night Vision	Up to 30 meters (100ft) (LED: 2pcs/850nm)
	Color Night Vision	Spotlight: 1pc/6500K/450 lumens
	Audio	Two-way audio
Power	Power	PoE: IEEE 802.3af, 48V active
	DC Power	DC 12.0 V @ 1 A, < 12 W
Interface	Power	DC power port
	System	Reset button
	Ethernet	1*10M/100Mbps RJ45
	Storage	microSD card slot (Max. 256GB)
	Audio	Built-in microphone and speaker
Software Features	Frame Rate	Mainstream: 2fps - 20fps (Default: 20fps) Substream: 4fps - 20fps (Default: 20fps)
	Code Rate	Mainstream: 4096Kbps - 8192Kbps (default: 6144Kbps) Substream: 64Kbps - 512Kbps (default: 256Kbps)
	Browser	Edge, Chrome, Firefox, Safari
	OS Supported	PC: Windows, macOS; Smartphone: iOS, Android
	Smart Alarm	Motion detection; person detection, vehicle detection, pet detection
	Recording Mode	Motion recording (default); scheduled recording, 24/7 recording
	Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
	Maximal User Access	20 users (1 admin account and 19 user accounts); 12 simultaneous video streams (10 substreams and 2 mainstreams)
	Work with	Google Assistant
Working Environment	Temperature	Operating Temperature: -10°C~+50°C (14°F~122°F)
	Humidity	Operating Humidity: 10% ~ 90%
	Weatherproof	IP66
Size & Weight	Dimensions	Φ 67 x 187 mm
	Weight	460 g
Warranty	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ .



- | | | |
|-------------|------------------------|-----------------------|
| 1 Bracket | 2 Speaker | 3 Metal Aluminum Case |
| 4 Spotlight | 5 High-Definition Lens | 6 Daylight Sensor |
| 7 IR LEDs | 8 Built-in Mic | |



- | |
|---------------------|
| 1 microSD Card Slot |
|---------------------|

Best Companion



PoE Injector



microSD Card



Ethernet Cable



Reolink Floodlight



Waterproof Lid



RLA-POECSI



Junction Box B10



RLA-BKC1 Corner Mount Bracket



Terms and Privacy

Use of the product is subject to your agreement to the Terms of Service and Privacy Policy at reolink.com.

Limited Warranty

This product comes with a 2-year limited warranty. Learn more: <https://reolink.com/warranty-and-return/>