

Floodlight Series F750P
**4K PoE Floodlight
 Camera with Dual Lens
 for 180° Field of View**



Dual-Lens

Combines two lenses into one view with no dead ends.



180° Panorama

Covers a larger area with a 180° ultra-wide viewing angle.

4K

4K UHD

Reveals much finer details with stunning 4K clarity.



Powerful Floodlights

Smart floodlights blast 1800 lumens of guiding or "get lost" security light.



Smart Detection

Get notified when a person, vehicle, or animal is detected.



Color Night Vision

Captures full-color images at night with its spotlights on.



Two-Way Audio

Talk to anyone in front of the camera in real-time.



Power over Ethernet

Transmit data and power with only one Ethernet cable.



IP66 Weatherproof

Works perfectly indoors or outdoors no matter the weather.



Two Cameras in One

The dual-lens camera can stitch two views into one with no gap. It covers a larger area with a 180° panoramic view.




Full-Color 4K Videos

Get razor-sharp, full-color recordings in 4K stunning clarity day or night. Never miss any important details.




Smart Illumination at Your Brightness

Customize the 1800-lumen floodlights to your schedule and needs. Set it for motion-activated illumination or ambient lighting.



Smart Detection & Active Response

The floodlights and the siren will be triggered when people/vehicles/animals are detected. Or you can respond to the situations via two-way audio.



Two Night Vision Modes

See the night world in the way you like it. Get colorful videos with its floodlights on or switch to black & white vision with infrared LEDs.

Gallery



One App/Client for All Control

Stay connected to your home or business anytime, anywhere.



Privacy in Your Hands

We made it a priority to ensure that your privacy is protected and your data is for your eyes only.




Model	Floodlight Series F750P	
Video & Audio	Image Sensor	1/2.7" CMOS Sensors
	Video Resolution	Default: 4608X1728 (8.0 megapixels) at 20 frames/sec
	Lens	f = 3.2 mm fixed, F = 2.0
	Video Format	H.265
	Field of View	Horizontal: 180° Vertical: 60°
	Day & Night	Auto-switching with IR cut filter
	Infrared Night Vision	30 meters (LED: 14pcs/20mil/850nm)
	Color Night Vision	Floodlight: 40pcs SMD LEDs/15W/4200K/1800 Lumens
	Audio	Two-way audio
Power	POE	IEEE 802.3at, 48V Active
	DC Power	DC 12V=1.7A, <24W
Interface	Power	DC power port
	System	Reset button
	Ethernet	One 10M/100Mbps; RJ45
	Storage	Micro SD card slot (Max. 256GB)
	Audio	Built-in microphone and speaker
Software Features	Frame Rate	Mainstream: 4fps - 20fps (default: 20fps) Substream: 4fps - 20fps (default: 10fps)
	Code Rate	Mainstream: 3072-10240Kbps (default: 8192kbps) Substream: 256-2048Kbps (default: 1024kbps)
	Browser Supported	Edge, Chrome, Firefox, Safari
	OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
	Smart Alarm	Motion detection; person detection; vehicle detection; pet detection
	Record Mode	Motion-triggered recording (default); scheduled recording
	Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
	Maximal User Access	20 Users (1 admin account & 19 user accounts); Supports up to 12 simultaneous video streams (10 substreams & 2
	Works with	Google Assistant
Working Environment	Temperature	Operating temperature: -10°C~+50°C (14°F~122°F)
	Humidity	Operating humidity: 10% ~ 90%
	Weatherproof	IP66
Size & Weight	Dimensions	243x210x151 mm
	Weight (Battery Included)	1.25kg
Warranty	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ .




- 1 Lens
- 2 IR LED
- 3 Floodlight
- 4 Daylight Sensor
- 5 Mic



- 1 microSD Card Slot
- 2 Reset Button
- 3 Speaker
- 4 Mounting Bracket



- 1 DC Power Port
- 2 LAN Port
- 3 Charging Port for the Floodlight



You can adjust the floodlights in any direction, even after fixing the camera.

Best Companion



microSD Card



RLA-POECS1
(Combiner & Splitter)



PoE Injector



Ethernet Cable

Download Free Reolink App & Client

Learn more: <https://reolink.com/software-and-manual/>



Terms and Privacy

Terms and Privacy: Use of the product is subject to your agreement to the Terms of Service and Privacy Policy at reolink.com. Keep out of reach of children.

Limited Warranty

Limited Warranty: This product comes with a 2-year limited warranty. Learn more: <https://reolink.com/warranty-and-return/>