



Bracket

MD-AVBracket-S (Optional, install MeetingBar A40, SmartVision 40 or MSpeaker Pro to the MD)


Parameter	Description
Dimension (W.D.H)	· Dimension: 165 mm × 84.5 mm × 149 mm · Carton Meas: 200 mm × 120 mm × 190 mm
Hole Spacing Dimension (W.H)	100 mm × 45 mm
Weight	· N.W/CTN: 0.676 kg (1.49 lbs) · G.W/CTN: 0.812 kg (1.79 lbs)







MD-AVBracket-L (Optional, install MeetingBar A50 or S50 to the MD)

Parameter	Description
Dimension (W.D.H)	· Dimension: 360 mm × 112.5 mm × 183.5 mm · Carton Meas: 425 mm × 159 mm × 238 mm
Hole Spacing Dimension (W.H)	100 mm × 45 mm
Weight	· N.W/CTN: 1.374 kg (3.03 lbs) · G.W/CTN: 1.898 kg (4.18 lbs)

**MD-PTZBracket (Optional, install UVC86 or Smartvision 80 to the MD)**

Parameter	Description
Dimension (W.D.H)	· Dimension: 145 mm × 139.6 mm × 288.5 mm · Carton Meas: 352 mm × 186 mm × 200 mm
Hole Spacing Dimension (W.H)	100 mm × 45 mm
Weight	· N.W/CTN: 1.296 kg (2.86 lbs) · G.W/CTN: 1.723 kg (3.80 lbs)





MD-WallMount (Optional, install MD65/75/86 to the wall)

Parameter	Description
Dimension (W.D.H)	· Dimension: 730 mm × 22 mm × 250 mm · Carton Meas: 813 mm × 326 mm × 65 mm
Weight	· N.W/CTN: 2.3 kg (5.07 lbs) · G.W/CTN: 3.0 kg (6.61 lbs)

